L Number	Hits	Search Text	DB	Time stamp
1	2003	cach\$3 near3 (switch\$3 router)	USPAT;	2004/09/10 10:36
			US-PGPUB;	
			EPO; JPO;	
Ì			DERWENT;	
2	19368	(verify\$3 look\$3 search\$3 retriev\$3 hit check\$3 determin\$3)	IBM_TDB USPAT;	2004/09/10 10:38
-	13300	near3 cach\$3	US-PGPUB;	2004/03/10 10:36
			EPO; JPO;	
			DERWENT;	
	ĺ		IBM_TDB	
3	307	(cach\$3 near3 (switch\$3 router)) same ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:38
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
4	154	(cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:39
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	2004/09/10 10.39
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
8	2	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:40
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same	US-PGPUB;	
		((preceed\$3 preced\$3 sucessive before prior) near3 (rout\$3	EPO; JPO;	
		switch\$3))	DERWENT; IBM TDB	
9	1	(((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 12:55
_	,	retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same	US-PGPUB;	2004/09/10 12:55
		((preceed\$3 preced\$3 sucessive before prior) near3 (rout\$3	EPO; JPO;	
		switch\$3))) and (@ad < 20010628 @rlad < 20010628)	DERWENT;	
			IBM_TDB	
10	1	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:42
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (hash\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
11	1	(((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:53
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (hash\$3))	US-PGPUB;	200-703/10 10.33
		and (@ad < 20010628 @rlad < 20010628)	EPO; JPO;	
			DERWENT;	
_	405		IBM_TDB	
5	125	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:52
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) and (@ad < 20010628 @rlad < 20010628)	US-PGPUB;	
		1944 - 200 10020 (MIAU ~ 200 10020)	EPO; JPO; DERWENT;	
			IBM TDB	
12	22	(cach\$3 near (front before)) with switch	USPAT;	2004/09/10 10:52
			US-PGPUB;	12.12.10.02
ĺ			EPO; JPO;	
			DERWENT;	
13	20	((cach\$2 pear (front before)) with switch) == 1/0 1	IBM_TDB	200 4/05/:
.5	20	((cach\$3 near (front before)) with switch) and (@ad < 20010628 @rlad < 20010628)	USPAT;	2004/09/10 12:55
		G. 100 (100	US-PGPUB; EPO; JPO;	}
Ì			DERWENT;	
			IBM TDB	
14	10	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 12:55
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (farm	US-PGPUB;	
		cluster)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

4.5	1	[((angle \$2 mag 2 (avritab \$2 = - + \) (d	LICDAT	2004/00/40 12 12
15	10	(((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3 retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (farm	USPAT; US-PGPUB;	2004/09/10 13:18
		cluster)) and (@ad < 20010628 @rlad < 20010628)	EPO; JPO;	
		Cluster// and (@ad \ 20010020 @/\ad \ 20010020)	DERWENT;	
			IBM TDB	
16	0	cielsak.in.	USPAT:	2004/09/10 13:19
	į		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 <i>7</i>	110	cieslak.in.	USPAT;	2004/09/10 13:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
18	8	cieslak.in. and cache	IBM_TDB USPAT;	2004/09/10 13:19
10	"	Clesiak.III. and Cache	US-PGPUB;	2004/09/10 13:19
			EPO; JPO;	
			DERWENT;	
		, , , , , , , , , , , , , , , , , , ,	IBM TDB	į
-	3138	event near3 queue	USPAT;	2004/09/08 17:46
		·	US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24796	frame near3 buffer	USPAT;	2004/09/08 13:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l -	0	((event near3 queue) same (frame near3 buffer)) same (xml ssl slb)	IBM_TDB USPAT;	2004/09/08 13:45
		((event hears queue) same (hame hears buller)) same (xim ssi sib)	US-PGPUB;	2004/03/00 13.43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	38	(event near3 queue) same (frame near3 buffer)	USPAT;	2004/09/08 13:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	5392	(protocol tgcp udp ssl slb xml html ip rtp) near5 buffer	IBM_TDB	2004/00/09 12:59
	3332	Abiorocol rech and 221 210 Yulli umili th trhy usegle british	USPAT; US-PGPUB;	2004/09/08 13:58
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	274	((protocol tgcp udp ssl slb xml html ip rtp) near5 buffer) near10	USPAT;	2004/09/08 13:58
		(queue fifo)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	·
			IBM_TDB	
-	223	(((protocol tgcp udp ssl slb xml html ip rtp) near5 buffer) near10	USPAT;	2004/09/08 13:59
	<u> </u>	(queue fifo)) and (@ad < 20010626 @rlad < 20010626)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	6216157.pn.	USPAT;	2004/09/08 17:46
	-		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

		(2)(457	T	
-	0	6216157.pn. and (remov\$3 alter\$3 delet\$3 vary\$3 prioritiz\$3)	USPAT;	2004/09/08 17:47
			US-PGPUB;	,
1	1		EPO; JPO;	
	1		DERWENT;	
_	1072	((modify\$3 alter\$3) near3 content) with (edit\$3 remov\$3 delet\$3	IBM_TDB USPAT;	2004/00/09 10:01
	10/2	vary\$3 prioritiz\$3)	US-PGPUB;	2004/09/08 18:01
1		1 m, 45 prioritize 43)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1	6216157.pn. and (edit\$3 remov\$3 alter\$3 delet\$3 vary\$3	USPAT;	2004/09/08 17:48
		prioritiz\$3)	US-PGPUB;	230 1,03,00 17.40
			EPO; JPO;	
			DERWENT;	1
	İ		IBM TDB	
-	518	(((modify\$3 alter\$3) near3 content) with (edit\$3 remov\$3 delet\$3	USPAT;	2004/09/08 17:52
1		vary\$3 prioritiz\$3)) and (@ad<19981214 @rlad<19981214)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	95	(((modify\$3 alter\$3) near3 content) with (edit\$3 remov\$3 delet\$3	USPAT;	2004/09/08 17:52
		vary\$3 prioritiz\$3)) same network	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	20	///madif.#3 also#3) () / /	IBM_TDB	
-	30	((((modify\$3 alter\$3) near3 content) with (edit\$3 remov\$3	USPAT;	2004/09/08 18:01
		delet\$3 vary\$3 prioritiz\$3)) same network) and (@ad < 19981214	US-PGPUB;	
1		@rlad < 19981214)	EPO; JPO;	
			DERWENT;	
_	78	bunjob.xa.	IBM_TDB USPAT;	2004/00/00 17 57
1	'0	Dunjoo.xa.	1 .	2004/09/08 17:57
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	81	\$10wanit.xa.	USPAT;	2004/09/08 17:59
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7915	remov\$3 near (color graphic)	USPAT;	2004/09/08 18:00
]		US-PGPUB;	
			EPO; JPO;	
]		DERWENT;	
	1000	## P. ()	IBM_TDB	
-	4900	remov\$3 adj (color graphic)	USPAT;	2004/09/08 18:05
			US-PGPUB;	
1	j		EPO; JPO;	
			DERWENT;	:
_	0	((modify\$3 alter\$3) near3 content) with (remov\$3 adj (color	IBM_TDB	2004/00/00 40 04
		graphic))	USPAT;	2004/09/08 18:01
]	Brahme//	US-PGPUB;	
-			EPO; JPO;	
			DERWENT;	
-	50	(modify\$3 alter\$3) with (remov\$3 adj (color graphic))	IBM_TDB	2004/09/08 18:02
	33	(, 42 and 43) mar (icinovas ad) (color graphic)	USPAT; US-PGPUB;	200 4 /05/00 10:02
	[US-PGPOB; EPO; JPO;	
			DERWENT;	
			IBM TDB	,
			IDINI I DD	

-	26	((modify\$3 alter\$3) with (remov\$3 adj (color graphic))) and	USPAT;	2004/09/08 18:03
		(@ad < 19981214 @rlad < 19981214)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
[IBM_TDB	
[-	0	((modify\$3 alter\$3) with (remov\$3 adj (color graphic))) same	USPAT;	2004/09/08 18:05
		(computer network)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	((modify\$3 alter\$3) with (remov\$3 adj (color graphic))) and	USPAT;	2004/09/08 18:03
		(computer network)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	(((modify\$3 alter\$3) with (remov\$3 adj (color graphic))) and	USPAT;	2004/09/08 18:06
		(computer network)) and (@ad < 19981214 @rlad < 19981214)	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
		da st. (IBM_TDB	2224/22/22 42 25
-	64	remov\$3 with (graphic\$ near3 component)	USPAT;	2004/09/08 18:05
ŀ			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	12	(remov\$3 with (graphic\$ near3 component)) same (computer	IBM_TDB USPAT;	2004/09/08 18:05
_	12	network)	US-PGPUB;	2004/09/08 18:05
•		Hetwork)	EPO; JPO;	
			DERWENT:	
			IBM TDB	
	5	((remov\$3 with (graphic\$ near3 component)) same (computer	USPAT;	2004/09/08 18:06
	,	network)) and (@ad < 19981214 @rlad < 19981214)	US-PGPUB;	200-700700 10.00
		(9 (9)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
1	2003	cach\$3 near3 (switch\$3 router)	USPAT;	2004/09/10 10:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	19368	(verify\$3 look\$3 search\$3 retriev\$3 hit check\$3 determin\$3)	USPAT;	2004/09/10 10:38
		near3 cach\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	307	(cach\$3 near3 (switch\$3 router)) same ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:38
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	154	(cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:39
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/40 40 41
5	125	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:41
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) and	US-PGPUB;	
		(@ad < 20010628 @rlad < 20010628)	EPO; JPO;	
		·	DERWENT;	
		(/ f 2 2 (itale f 2 - re-uter))ith (/ : reif-:f2 - le el-:f2 - re-uter)	IBM_TDB USPAT;	2004/09/10 10:40
8	2	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3 retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same	US-PGPUB;	2004/09/10 10:40
		((preceed\$3 preced\$3 sucessive before prior) near3 (rout\$3)	EPO; JPO;	
		switch\$3))	DERWENT;	
		SWIICH\$3))	IBM TDB	
9	1	(((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:42
'	l '	retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same	US-PGPUB;	200-705/10 10.42
		((preceed\$3 preced\$3 sucessive before prior) near3 (rout\$3	EPO; JPO;	
		switch\$3))) and (@ad < 20010628 @rlad < 20010628)	DERWENT;	
		3W(C(143)) / and (@dd <20010020 @flad <20010020)	IBM_TDB	Ì
10	1	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:42
'	·	retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (hash\$3)	US-PGPUB;	
			EPO; JPO;	
		i .	DERWENT;	
		·	IBM_TDB	
11	1	(((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:42
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) same (hash\$3))	US-PGPUB;	
		and (@ad < 20010628 @rlad < 20010628)	EPO; JPO;	
			DERWENT;	
			IBM TDB	

L Number	Hits	Search Text	DB	Time stamp
1	2003	cach\$3 near3 (switch\$3 router)	USPAT;	2004/09/10 10:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	19368	(verify\$3 look\$3 search\$3 retriev\$3 hit check\$3 determin\$3)	USPAT;	2004/09/10 10:38
		near3 cach\$3	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	307	(cach\$3 near3 (switch\$3 router)) same ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:38
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	**********
4	154	(cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:38
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)	US-PGPUB;	
]		EPO; JPO;	
			DERWENT;	
_	40-	walled and the later than the	IBM_TDB	0004/00/40 40 30
5	125	((cach\$3 near3 (switch\$3 router)) with ((verify\$3 look\$3 search\$3	USPAT;	2004/09/10 10:38
		retriev\$3 hit check\$3 determin\$3) near3 cach\$3)) and	US-PGPUB;	
		(@ad < 20010628 @rlad < 20010628)	EPO; JPO;	
			DERWENT;	
	ĺ		IBM_TDB	